

APR 04 2007

Application No. 10/675,294 - - - - 2

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A harness suitable for reducing systemic losses in ductal lavage procedures, the harness comprising:

a base member having a first surface and a second surface and a through aperture sized to receive a human breast therethrough; and

a breast stabilizer integral with the base member, ~~member and~~ surrounding the through aperture and having an adjustable circumference for radially compressing at least a portion of the breast received in the through aperture.

Claim 2 (original): The harness of claim 1, wherein the base member comprises a torso band suitable for enveloping and securement about a torso of a human female patient, the torso band having a first end portion and a second end portion.

Claim 3 (original): The harness of claim 2, wherein the first end portion of the torso band is engageable with the second end portion of the torso band.

Claim 4 (original): The harness of claim 3, wherein the first end portion of the torso band is engageable with the second end portion of the torso band via engagement between the first surface and the second surface.

Claim 5 (original): The harness of claim 4, wherein at least a portion of the second surface includes a web of entangled fibers and at least a portion of the first surface includes a plurality of flexible hooks, the plurality of flexible hooks being engageable with the web of entangled fibers.

Claim 6 (original): The harness of claim 1, wherein the breast stabilizer is unitary with the base member.

Claim 7 (original): The harness of claim 1, wherein the breast stabilizer is made from an elastomeric material.

Claim 8 (canceled).

Application No. 10/675,294 - - - - 3

Claim 9 (original): The harness of claim 1, wherein the human breast defines a base diameter and the through aperture is of a lesser diameter than the base diameter.

Claim 10 (original): The harness of claim 1, wherein the base member further includes an elongated slit spaced from the through aperture.

Claim 11 (original): The harness of claim 10, wherein the base member further includes a cover over the elongate slit.

Claim 12 (original): The harness of claim 1, wherein the breast stabilizer further includes an adjustable circumferential clamp.

Claim 13 (original): The harness of claim 12, wherein the clamp comprises an adjustable belt.

Claim 14 (original): The harness of claim 12, wherein the clamp includes adjustable tabs.

Claim 15 (original): The harness of claim 12, wherein the clamp mechanism comprises an inflatable bladder.

Claim 16 (original): The harness of claim 12, wherein the clamp mechanism is manually adjustable.

Claim 17 (original): The harness of claim 1, wherein the base member defines a plurality of apertures, the plurality of apertures being of different diameters.

Claim 18 (original): The harness of claim 1, wherein the base member second surface includes a liner disposed thereon.

Claim 19 (original): The harness of claim 18, wherein the liner is removable.

Claim 20 (original): The harness of claim 18, wherein the liner is replaceable.

Claim 21 (currently amended): A harness comprising:  
a base member having a first surface and a second surface and a through aperture sized to receive a human breast therethrough;  
a breast stabilizer about the through aperture for radially compressing at least a portion of the breast sufficient to reduce systemic losses of lavage liquid during a ductal lavage procedure and having an adjustable circumference.

Claim 22 (original): The harness of claim 21, where the base member comprises a torso band suitable for enveloping and securement about a torso of a human female patient, the torso band having a first end portion and a second end portion.

Application No. 10/675,294 - - - - - 4

Claim 23 (original): The harness of claim 22, wherein the first end portion of the torso band is engageable with the second end portion of the torso band.

Claim 24 (original): The harness of claim 23, wherein the first end portion of the torso band is engageable with the second end portion of the torso band via engagement between the first surface and the second surface.

Claim 25 (original): The harness of claim 24, wherein at least a portion of the second surface includes a web of entangled fibers and at least a portion of the first surface includes a plurality of flexible hooks, the plurality of flexible hooks being engageable with the web of entangled fibers.

Claim 26 (original): The harness of claim 21, wherein the breast stabilizer is integral with the base member.

Claim 27 (original): The harness of claim 26, wherein the breast stabilizer is unitary with the base member.

Claim 28 (original): The harness of claim 21, wherein the breast stabilizer is made of an elastomeric material.

Claim 29 (canceled).

Claim 30 (original): The harness of claim 21, wherein the human breast defines a base diameter and the through aperture is of a lesser diameter than the base diameter.

Claim 31 (original): The harness of claim 21, wherein the base member further includes an elongated slit spaced from the through aperture.

Claim 32 (original): The harness of claim 31, wherein the base member further includes a cover over the elongate slit.

Claim 33 (original): The harness of claim 21, wherein the breast stabilizer further includes an adjustable circumferential clamp.

Claim 34 (original): The harness of claim 33, wherein the clamp is provided with an adjustable belt.

Claim 35 (original): The harness of claim 33, wherein the clamp includes adjustable tabs.

Claim 36 (original): The harness of claim 33, wherein the clamp is an inflatable bladder circumscribing the through aperture.

Application No. 10/675,294 - - - - 5

Claim 37 (original): The harness of claim 33, wherein the clamp is manually adjustable.

Claim 38 (original): The harness of claim 21, wherein the base member defines a plurality of apertures having different diameters.

Claim 39 (original): The harness of claim 21, wherein the base member second surface includes a liner disposed thereon.

Claim 40 (original): The harness of claim 39, wherein the liner is removable.

Claim 41 (original): The harness of claim 39, wherein the liner is replaceable.

Claim 42 (currently amended): A kit for reducing system losses of lavage liquid during ductal lavage procedures, the kit comprising:

a harness comprising a base member having a first surface and a second surface, the base member defining a through aperture sized to receive a human breast therethrough, and the through aperture being at least partly circumscribed by a breast stabilizer having an adjustable circumference for radially compressing at least a portion of the breast; and

instructional indicia.

Claim 43 (original): The kit of 42, further including a catheter, a syringe, and a nipple orifice dilator.

Claim 44 (original): A method for reducing systemic losses of lavage liquid during ductal lavage procedures utilizing a harness comprising a base member having a first surface and a second surface, the base member defining a through aperture sized to receive a human breast therethrough, and the through aperture being at least partly circumscribed by a breast stabilizer, the method comprising the steps of:

receiving the human breast through the through aperture;

radially compressing at least a portion of the breast with the breast stabilizer;

and

performing a ductal lavage procedure.

Claim 45 (original): The method of claim 44 further comprising adjusting the compression on the portion of the breast.

Application No. 10/675,294 - - - - 6

Claim 46 (original): The method of claim 44, wherein the step of performing a ductal lavage procedure comprises introducing a rinsing solution into a mammary ducts, and recovering at least a portion of the solution from the mammary ducts.

Claim 47 (original): A method for reducing systemic losses of lavage liquid during ductal lavage procedures, the method comprising the steps of:

applying circumferential pressure to a human breast about a base of the breast;  
introducing the lavage liquid to a mammary duct in the breast; and  
collecting at least a portion of the lavage liquid from the breast.

Claim 48 (currently amended): The method of claim 47, ~~claim 48~~, wherein the step of applying circumferential pressure to the human breast about the base of the breast is conducted utilizing a harness comprising a base member having a first surface and a second surface, the base member defining a through aperture sized to receive a human breast therethrough, and the through aperture being at least partly circumscribed by a breast stabilizer.